206 WESTBROOKLINE



Manuel L. Davis SVP of Residential Sales 617.417.9237 mdavis@bradvisors.com





3 Bedrooms, 2.5 Baths ±1,890 Square Feet Please Contact Us for Pricing







UNITONE

Unit 1 has its own entry on Warren Street. Offering a very modern look, the large double-size windows and floating staircase with an adjacent glass floor assures plenty of light throughout the duplex. This Unit offers superior moisture control and heat retention. A B-Dry waterproofing system ensures that water will not reach the walls or floors. A deep sump pump provides additional protection nearly two feet below floor level. The concrete slab is thermally insulated by 2 inches of environmentally-friendly EPS rigid foam sitting on a 1-foot bed of crushed rock. The hardwood floor is glued to a 3/4-inch plywood substrate, which is isolated from the slab by sleepers. The combination of layers ensures that the floor will remain comfortable even in harsh winters.



AMENITIES / FINISHES

- Maytag Energy Star Front Load Washer
- Maytag Gas Dryer
- Viking 36" Energy Star French Door Stainless Steel Refrigerator
- Miele 24" Futura Stainless Steel Dishwasher
- Kitchenaid Batch Feed Garbage Disposal
- Viking 36" Gas Cooktop
- Thermador 30" Masterpiece Series Stainless Steel Oven
- GE Stainless Steel Convection Microwave Oven
- Quartz Countertops

- Separate Laundry Room With Plenty of Additional Storage
- Custom Softclose Cabinets/Drawers
- Hansgrohe, Kraus & Kohler Fittings Throughout
- Toto Toilets
- Porcelain Tile in Bathrooms
- LED Lighting Throughout
- Historically Accurate Double-Hung Windows
- Premium Grade Engineered Wood Flooring





Manuel L. Davis SVP of Residential Sales 617.417.9237 mdavis@bradvisors.com

745 Boylston Street · Boston, MA 02116 · (T) 617.375.7900 · (F) 617.536.9566 · AdvisorsLiving.com

© Copyright Boston Realty Advisors. All rights reserved. The information contained here has been obtained through sources deemed reliable but cannot be guaranteed as to its accuracy. Any information of special interest should be obtained through independent verification.